

Interconnection Point*: LARRAU (entry)

Units of measurements: kWh/d

APRIL	FIRM capacity (Entry)				INTERRUPTIBLE capacity (Entry)				NATURE OF PLANNED MAINTENANCE (*) (on-line inspection; pipeline works; installation works)
Day	FIRM CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	INTERRUPTIBLE CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	
1	100.000.000	0	100.000.000	100%	3.428.161	0	3.428.161	100%	There isn't planned any maintenance
2	100.000.000	0	100.000.000	100%	3.578.551	0	3.578.551	100%	
3	100.000.000	0	100.000.000	100%	3.578.551	0	3.578.551	100%	
4	100.000.000	0	100.000.000	100%	3.578.551	0	3.578.551	100%	
5	100.000.000	0	100.000.000	100%	38.359.621	0	38.359.621	100%	
6	100.000.000	0	100.000.000	100%	3.428.161	0	3.428.161	100%	
7	100.000.000	0	100.000.000	100%	4.919.212	0	4.919.212	100%	
8	100.000.000	0	100.000.000	100%	4.919.212	0	4.919.212	100%	
9	100.000.000	0	100.000.000	100%	4.919.212	0	4.919.212	100%	
10	100.000.000	0	100.000.000	100%	4.919.212	0	4.919.212	100%	
11	100.000.000	0	100.000.000	100%	4.919.212	0	4.919.212	100%	
12	100.000.000	0	100.000.000	100%	4.919.212	0	4.919.212	100%	
13	100.000.000	0	100.000.000	100%	4.919.212	0	4.919.212	100%	
14	100.000.000	0	100.000.000	100%	309.566	0	309.566	100%	
15	100.000.000	0	100.000.000	100%	309.566	0	309.566	100%	
16	100.000.000	0	100.000.000	100%	309.566	0	309.566	100%	
17	100.000.000	0	100.000.000	100%	309.566	0	309.566	100%	
18	100.000.000	0	100.000.000	100%	309.566	0	309.566	100%	
19	100.000.000	0	100.000.000	100%	309.566	0	309.566	100%	
20	100.000.000	0	100.000.000	100%	309.566	0	309.566	100%	
21	100.000.000	0	100.000.000	100%	1.702.347	0	1.702.347	100%	
22	100.000.000	0	100.000.000	100%	1.702.347	0	1.702.347	100%	
23	100.000.000	0	100.000.000	100%	1.702.347	0	1.702.347	100%	
24	100.000.000	0	100.000.000	100%	1.702.347	0	1.702.347	100%	
25	100.000.000	0	100.000.000	100%	1.702.347	0	1.702.347	100%	
26	100.000.000	0	100.000.000	100%	1.702.347	0	1.702.347	100%	
27	100.000.000	0	100.000.000	100%	1.702.347	0	1.702.347	100%	
28	100.000.000	0	100.000.000	100%	1.702.347	0	1.702.347	100%	
29	100.000.000	0	100.000.000	100%	1.702.347	0	1.702.347	100%	
30	100.000.000	0	100.000.000	100%	449.097	0	449.097	100%	

* Please consult also the adjacent TSO's website

Interconnection Point*: LARRAU (exit)

Units of measurements: kWh/d

APRIL	FIRM capacity (Exit)				INTERRUPTIBLE capacity (Exit)				NATURE OF PLANNED MAINTENANCE (*) (on-line inspection; pipeline works; installation works)
Day	FIRM CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	INTERRUPTIBLE CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	
1	30.000.000	0	30.000.000	100%	0	0	0		There isn't planned any maintenance
2	30.000.000	0	30.000.000	100%	0	0	0		
3	30.000.000	0	30.000.000	100%	0	0	0		
4	30.000.000	0	30.000.000	100%	0	0	0		
5	30.000.000	0	30.000.000	100%	0	0	0		
6	30.000.000	0	30.000.000	100%	0	0	0		
7	30.000.000	0	30.000.000	100%	0	0	0		
8	30.000.000	0	30.000.000	100%	0	0	0		
9	30.000.000	0	30.000.000	100%	0	0	0		
10	30.000.000	0	30.000.000	100%	0	0	0		
11	30.000.000	0	30.000.000	100%	0	0	0		
12	30.000.000	0	30.000.000	100%	0	0	0		
13	30.000.000	0	30.000.000	100%	0	0	0		
14	30.000.000	0	30.000.000	100%	0	0	0		
15	30.000.000	0	30.000.000	100%	0	0	0		
16	30.000.000	0	30.000.000	100%	0	0	0		
17	30.000.000	0	30.000.000	100%	0	0	0		
18	30.000.000	0	30.000.000	100%	0	0	0		
19	30.000.000	0	30.000.000	100%	0	0	0		
20	30.000.000	0	30.000.000	100%	0	0	0		
21	30.000.000	0	30.000.000	100%	0	0	0		
22	30.000.000	0	30.000.000	100%	0	0	0		
23	30.000.000	0	30.000.000	100%	0	0	0		
24	30.000.000	0	30.000.000	100%	0	0	0		
25	30.000.000	0	30.000.000	100%	0	0	0		
26	30.000.000	0	30.000.000	100%	0	0	0		
27	30.000.000	0	30.000.000	100%	0	0	0		
28	30.000.000	0	30.000.000	100%	0	0	0		
29	30.000.000	0	30.000.000	100%	0	0	0		
30	30.000.000	0	30.000.000	100%	0	0	0		

* Please consult also the adjacent TSO's website

Interconnection Point*: BADAJOZ (entry)

Units of measurements: kWh/d

APRIL	FIRM capacity (Entry)				INTERRUPTIBLE capacity (Entry)				NATURE OF PLANNED MAINTENANCE (*) (on-line inspection; pipeline works; installation works)
Day	FIRM CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	INTERRUPTIBLE CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	
1	35.000.000	0	35.000.000	100%	0	0	0		There isn't planned any maintenance
2	35.000.000	0	35.000.000	100%	0	0	0		
3	35.000.000	0	35.000.000	100%	0	0	0		
4	35.000.000	0	35.000.000	100%	0	0	0		
5	35.000.000	0	35.000.000	100%	0	0	0		
6	35.000.000	0	35.000.000	100%	0	0	0		
7	35.000.000	0	35.000.000	100%	0	0	0		
8	35.000.000	0	35.000.000	100%	0	0	0		
9	35.000.000	0	35.000.000	100%	0	0	0		
10	35.000.000	0	35.000.000	100%	0	0	0		
11	35.000.000	0	35.000.000	100%	0	0	0		
12	35.000.000	0	35.000.000	100%	0	0	0		
13	35.000.000	0	35.000.000	100%	0	0	0		
14	35.000.000	0	35.000.000	100%	0	0	0		
15	35.000.000	0	35.000.000	100%	0	0	0		
16	35.000.000	0	35.000.000	100%	0	0	0		
17	35.000.000	0	35.000.000	100%	0	0	0		
18	35.000.000	0	35.000.000	100%	0	0	0		
19	35.000.000	0	35.000.000	100%	0	0	0		
20	35.000.000	0	35.000.000	100%	0	0	0		
21	35.000.000	0	35.000.000	100%	0	0	0		
22	35.000.000	0	35.000.000	100%	0	0	0		
23	35.000.000	0	35.000.000	100%	0	0	0		
24	35.000.000	0	35.000.000	100%	0	0	0		
25	35.000.000	0	35.000.000	100%	0	0	0		
26	35.000.000	0	35.000.000	100%	0	0	0		
27	35.000.000	0	35.000.000	100%	0	0	0		
28	35.000.000	0	35.000.000	100%	0	0	0		
29	35.000.000	0	35.000.000	100%	0	0	0		
30	35.000.000	0	35.000.000	100%	0	0	0		

* Please consult also the adjacent TSO's website

Interconnection Point*: BADAJOZ (exit)

Units of measurements: kWh/d

APRIL	FIRM capacity (Exit)				INTERRUPTIBLE capacity (Exit)				NATURE OF PLANNED MAINTENANCE (*) (on-line inspection; pipeline works; installation works)
Day	FIRM CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	INTERRUPTIBLE CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	
1	45.000.000	0	45.000.000	100%	0	0	0		There isn't planned any maintenance
2	45.000.000	0	45.000.000	100%	0	0	0		
3	45.000.000	0	45.000.000	100%	0	0	0		
4	45.000.000	0	45.000.000	100%	0	0	0		
5	45.000.000	0	45.000.000	100%	0	0	0		
6	45.000.000	0	45.000.000	100%	0	0	0		
7	45.000.000	0	45.000.000	100%	0	0	0		
8	45.000.000	0	45.000.000	100%	0	0	0		
9	45.000.000	0	45.000.000	100%	0	0	0		
10	45.000.000	0	45.000.000	100%	0	0	0		
11	45.000.000	0	45.000.000	100%	0	0	0		
12	45.000.000	0	45.000.000	100%	0	0	0		
13	45.000.000	0	45.000.000	100%	0	0	0		
14	45.000.000	0	45.000.000	100%	0	0	0		
15	45.000.000	0	45.000.000	100%	0	0	0		
16	45.000.000	0	45.000.000	100%	0	0	0		
17	45.000.000	0	45.000.000	100%	0	0	0		
18	45.000.000	0	45.000.000	100%	0	0	0		
19	45.000.000	0	45.000.000	100%	0	0	0		
20	45.000.000	0	45.000.000	100%	0	0	0		
21	45.000.000	0	45.000.000	100%	0	0	0		
22	45.000.000	0	45.000.000	100%	0	0	0		
23	45.000.000	0	45.000.000	100%	0	0	0		
24	45.000.000	0	45.000.000	100%	0	0	0		
25	45.000.000	0	45.000.000	100%	0	0	0		
26	45.000.000	0	45.000.000	100%	0	0	0		
27	45.000.000	0	45.000.000	100%	0	0	0		
28	45.000.000	0	45.000.000	100%	0	0	0		
29	45.000.000	0	45.000.000	100%	0	0	0		
30	45.000.000	0	45.000.000	100%	0	0	0		

* Please consult also the adjacent TSO's website

Interconnection Point*: TUY (entry)

Units of measurements: kWh/d

APRIL	FIRM capacity (Entry)				INTERRUPTIBLE capacity (Entry)				NATURE OF PLANNED MAINTENANCE (*) (on-line inspection; pipeline works; installation works)
Day	FIRM CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	INTERRUPTIBLE CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	
1	25.000.000	0	25.000.000	100%	0	0	0		There isn't planned any maintenance
2	25.000.000	0	25.000.000	100%	0	0	0		
3	25.000.000	0	25.000.000	100%	0	0	0		
4	25.000.000	0	25.000.000	100%	0	0	0		
5	25.000.000	0	25.000.000	100%	0	0	0		
6	25.000.000	0	25.000.000	100%	0	0	0		
7	25.000.000	0	25.000.000	100%	0	0	0		
8	25.000.000	0	25.000.000	100%	0	0	0		
9	25.000.000	0	25.000.000	100%	0	0	0		
10	25.000.000	0	25.000.000	100%	0	0	0		
11	25.000.000	0	25.000.000	100%	0	0	0		
12	25.000.000	0	25.000.000	100%	0	0	0		
13	25.000.000	0	25.000.000	100%	0	0	0		
14	25.000.000	0	25.000.000	100%	0	0	0		
15	25.000.000	0	25.000.000	100%	0	0	0		
16	25.000.000	0	25.000.000	100%	0	0	0		
17	25.000.000	0	25.000.000	100%	0	0	0		
18	25.000.000	0	25.000.000	100%	0	0	0		
19	25.000.000	0	25.000.000	100%	0	0	0		
20	25.000.000	0	25.000.000	100%	0	0	0		
21	25.000.000	0	25.000.000	100%	0	0	0		
22	25.000.000	0	25.000.000	100%	0	0	0		
23	25.000.000	0	25.000.000	100%	0	0	0		
24	25.000.000	0	25.000.000	100%	0	0	0		
25	25.000.000	0	25.000.000	100%	0	0	0		
26	25.000.000	0	25.000.000	100%	0	0	0		
27	25.000.000	0	25.000.000	100%	0	0	0		
28	25.000.000	0	25.000.000	100%	0	0	0		
29	25.000.000	0	25.000.000	100%	0	0	0		
30	25.000.000	0	25.000.000	100%	0	0	0		

* Please consult also the adjacent TSO's website

Interconnection Point*: TUY (exit)

Units of measurements: kWh/d

APRIL	FIRM capacity (Exit)				INTERRUPTIBLE capacity (Exit)				NATURE OF PLANNED MAINTENANCE (*) (on-line inspection; pipeline works; installation works)
Day	FIRM CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	INTERRUPTIBLE CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	
1	30.000.000	0	30.000.000	100%	0	0	0		There isn't planned any maintenance
2	30.000.000	0	30.000.000	100%	0	0	0		
3	30.000.000	0	30.000.000	100%	0	0	0		
4	30.000.000	0	30.000.000	100%	0	0	0		
5	30.000.000	0	30.000.000	100%	0	0	0		
6	30.000.000	0	30.000.000	100%	0	0	0		
7	30.000.000	0	30.000.000	100%	0	0	0		
8	30.000.000	0	30.000.000	100%	0	0	0		
9	30.000.000	0	30.000.000	100%	0	0	0		
10	30.000.000	0	30.000.000	100%	0	0	0		
11	30.000.000	0	30.000.000	100%	0	0	0		
12	30.000.000	0	30.000.000	100%	0	0	0		
13	30.000.000	0	30.000.000	100%	0	0	0		
14	30.000.000	0	30.000.000	100%	0	0	0		
15	30.000.000	0	30.000.000	100%	0	0	0		
16	30.000.000	0	30.000.000	100%	0	0	0		
17	30.000.000	0	30.000.000	100%	0	0	0		
18	30.000.000	0	30.000.000	100%	0	0	0		
19	30.000.000	0	30.000.000	100%	0	0	0		
20	30.000.000	0	30.000.000	100%	0	0	0		
21	30.000.000	0	30.000.000	100%	0	0	0		
22	30.000.000	0	30.000.000	100%	0	0	0		
23	30.000.000	0	30.000.000	100%	0	0	0		
24	30.000.000	0	30.000.000	100%	0	0	0		
25	30.000.000	0	30.000.000	100%	0	0	0		
26	30.000.000	0	30.000.000	100%	0	0	0		
27	30.000.000	0	30.000.000	100%	0	0	0		
28	30.000.000	0	30.000.000	100%	0	0	0		
29	30.000.000	0	30.000.000	100%	0	0	0		
30	30.000.000	0	30.000.000	100%	0	0	0		

* Please consult also the adjacent TSO's website