

Interconnection Point*: LARRAU (entry)

Units of measurements: kWh/d

MAY	FIRM capacity (Entry)				INTERRUPTIBLE capacity (Entry)				NATURE OF PLANNED MAINTENANCE (*) (on-line inspection; pipeline works; installation works)
Day	FIRM CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	INTERRUPTIBLE CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	
1	100.000.000	0	100.000.000	100%	6.763.501	0	6.763.501	100%	There isn't planned any maintenance
2	100.000.000	0	100.000.000	100%	7.014.151	0	7.014.151	100%	
3	100.000.000	0	100.000.000	100%	7.014.151	0	7.014.151	100%	
4	100.000.000	0	100.000.000	100%	7.014.151	0	7.014.151	100%	
5	100.000.000	0	100.000.000	100%	1.136.714	0	1.136.714	100%	
6	100.000.000	0	100.000.000	100%	1.136.714	0	1.136.714	100%	
7	100.000.000	0	100.000.000	100%	1.136.714	0	1.136.714	100%	
8	100.000.000	0	100.000.000	100%	1.136.714	0	1.136.714	100%	
9	100.000.000	0	100.000.000	100%	1.136.714	0	1.136.714	100%	
10	100.000.000	0	100.000.000	100%	1.136.714	0	1.136.714	100%	
11	100.000.000	0	100.000.000	100%	1.136.714	0	1.136.714	100%	
12	100.000.000	0	100.000.000	100%	426.400	0	426.400	100%	
13	100.000.000	0	100.000.000	100%	426.400	0	426.400	100%	
14	100.000.000	0	100.000.000	100%	426.400	0	426.400	100%	
15	100.000.000	0	100.000.000	100%	426.400	0	426.400	100%	
16	100.000.000	0	100.000.000	100%	426.400	0	426.400	100%	
17	100.000.000	0	100.000.000	100%	426.400	0	426.400	100%	
18	100.000.000	0	100.000.000	100%	426.400	0	426.400	100%	
19	100.000.000	0	100.000.000	100%	4.694.300	0	4.694.300	100%	
20	100.000.000	0	100.000.000	100%	4.694.300	0	4.694.300	100%	
21	100.000.000	0	100.000.000	100%	5.546.510	0	5.546.510	100%	
22	100.000.000	0	100.000.000	100%	47.466.945	0	47.466.945	100%	
23	100.000.000	0	100.000.000	100%	5.546.510	0	5.546.510	100%	
24	100.000.000	0	100.000.000	100%	5.546.510	0	5.546.510	100%	
25	100.000.000	0	100.000.000	100%	5.546.510	0	5.546.510	100%	
26	100.000.000	0	100.000.000	100%	4.240.419	0	4.240.419	100%	
27	100.000.000	0	100.000.000	100%	4.240.419	0	4.240.419	100%	
28	100.000.000	0	100.000.000	100%	2.736.519	0	2.736.519	100%	
29	100.000.000	0	100.000.000	100%	2.736.519	0	2.736.519	100%	
30	100.000.000	0	100.000.000	100%	2.736.519	0	2.736.519	100%	
31	100.000.000	0	100.000.000	100%	2.736.519	0	2.736.519	100%	

* Please consult also the adjacent TSO's website

Interconnection Point*: LARRAU (exit)

Units of measurements: kWh/d

MAY	FIRM capacity (Exit)				INTERRUPTIBLE capacity (Exit)				NATURE OF PLANNED MAINTENANCE (*) (on-line inspection; pipeline works; installation works)
Day	FIRM CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	INTERRUPTIBLE CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	
1	50.000.000	0	50.000.000	100%	0	0	0		There isn't planned any maintenance
2	50.000.000	0	50.000.000	100%	0	0	0		
3	50.000.000	0	50.000.000	100%	0	0	0		
4	50.000.000	0	50.000.000	100%	0	0	0		
5	50.000.000	0	50.000.000	100%	0	0	0		
6	50.000.000	0	50.000.000	100%	0	0	0		
7	50.000.000	0	50.000.000	100%	0	0	0		
8	50.000.000	0	50.000.000	100%	0	0	0		
9	50.000.000	0	50.000.000	100%	0	0	0		
10	50.000.000	0	50.000.000	100%	0	0	0		
11	50.000.000	0	50.000.000	100%	0	0	0		
12	50.000.000	0	50.000.000	100%	0	0	0		
13	50.000.000	0	50.000.000	100%	0	0	0		
14	50.000.000	0	50.000.000	100%	0	0	0		
15	50.000.000	0	50.000.000	100%	0	0	0		
16	50.000.000	0	50.000.000	100%	0	0	0		
17	50.000.000	0	50.000.000	100%	0	0	0		
18	50.000.000	0	50.000.000	100%	0	0	0		
19	50.000.000	0	50.000.000	100%	0	0	0		
20	50.000.000	0	50.000.000	100%	0	0	0		
21	50.000.000	0	50.000.000	100%	0	0	0		
22	50.000.000	0	50.000.000	100%	0	0	0		
23	50.000.000	0	50.000.000	100%	0	0	0		
24	50.000.000	0	50.000.000	100%	0	0	0		
25	50.000.000	0	50.000.000	100%	0	0	0		
26	50.000.000	0	50.000.000	100%	0	0	0		
27	50.000.000	0	50.000.000	100%	0	0	0		
28	50.000.000	0	50.000.000	100%	0	0	0		
29	50.000.000	0	50.000.000	100%	0	0	0		
30	50.000.000	0	50.000.000	100%	0	0	0		
31	50.000.000	0	50.000.000	100%	0	0	0		

* Please consult also the adjacent TSO's website

Interconnection Point*: BADAJOZ (entry)

Units of measurements: kWh/d

MAY	FIRM capacity (Entry)				INTERRUPTIBLE capacity (Entry)				NATURE OF PLANNED MAINTENANCE (*) (on-line inspection; pipeline works; installation works)
Day	FIRM CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	INTERRUPTIBLE CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	
1	35.000.000	0	35.000.000	100%	0	0	0		There isn't planned any maintenance
2	35.000.000	0	35.000.000	100%	0	0	0		
3	35.000.000	0	35.000.000	100%	0	0	0		
4	35.000.000	0	35.000.000	100%	0	0	0		
5	35.000.000	0	35.000.000	100%	0	0	0		
6	35.000.000	0	35.000.000	100%	0	0	0		
7	35.000.000	0	35.000.000	100%	0	0	0		
8	35.000.000	0	35.000.000	100%	0	0	0		
9	35.000.000	0	35.000.000	100%	0	0	0		
10	35.000.000	0	35.000.000	100%	0	0	0		
11	35.000.000	0	35.000.000	100%	0	0	0		
12	35.000.000	0	35.000.000	100%	0	0	0		
13	35.000.000	0	35.000.000	100%	0	0	0		
14	35.000.000	0	35.000.000	100%	0	0	0		
15	35.000.000	0	35.000.000	100%	0	0	0		
16	35.000.000	0	35.000.000	100%	0	0	0		
17	35.000.000	0	35.000.000	100%	0	0	0		
18	35.000.000	0	35.000.000	100%	0	0	0		
19	35.000.000	0	35.000.000	100%	0	0	0		
20	35.000.000	0	35.000.000	100%	0	0	0		
21	35.000.000	0	35.000.000	100%	0	0	0		
22	35.000.000	0	35.000.000	100%	0	0	0		
23	35.000.000	0	35.000.000	100%	0	0	0		
24	35.000.000	0	35.000.000	100%	0	0	0		
25	35.000.000	0	35.000.000	100%	0	0	0		
26	35.000.000	0	35.000.000	100%	0	0	0		
27	35.000.000	0	35.000.000	100%	0	0	0		
28	35.000.000	0	35.000.000	100%	0	0	0		
29	35.000.000	0	35.000.000	100%	0	0	0		
30	35.000.000	0	35.000.000	100%	0	0	0		
31	35.000.000	0	35.000.000	100%	0	0	0		

* Please consult also the adjacent TSO's website

Interconnection Point*: BADAJOZ (exit)

Units of measurements: kWh/d

MAY	FIRM capacity (Exit)				INTERRUPTIBLE capacity (Exit)				NATURE OF PLANNED MAINTENANCE (*) (on-line inspection; pipeline works; installation works)
Day	FIRM CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	INTERRUPTIBLE CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	
1	45.000.000	0	45.000.000	100%	0	0	0		There isn't planned any maintenance
2	45.000.000	0	45.000.000	100%	0	0	0		
3	45.000.000	0	45.000.000	100%	0	0	0		
4	45.000.000	0	45.000.000	100%	0	0	0		
5	45.000.000	0	45.000.000	100%	0	0	0		
6	45.000.000	0	45.000.000	100%	0	0	0		
7	45.000.000	0	45.000.000	100%	0	0	0		
8	45.000.000	0	45.000.000	100%	0	0	0		
9	45.000.000	0	45.000.000	100%	0	0	0		
10	45.000.000	0	45.000.000	100%	0	0	0		
11	45.000.000	0	45.000.000	100%	0	0	0		
12	45.000.000	0	45.000.000	100%	0	0	0		
13	45.000.000	0	45.000.000	100%	0	0	0		
14	45.000.000	0	45.000.000	100%	0	0	0		
15	45.000.000	0	45.000.000	100%	0	0	0		
16	45.000.000	0	45.000.000	100%	0	0	0		
17	45.000.000	0	45.000.000	100%	0	0	0		
18	45.000.000	0	45.000.000	100%	0	0	0		
19	45.000.000	0	45.000.000	100%	0	0	0		
20	45.000.000	0	45.000.000	100%	0	0	0		
21	45.000.000	0	45.000.000	100%	0	0	0		
22	45.000.000	0	45.000.000	100%	0	0	0		
23	45.000.000	0	45.000.000	100%	0	0	0		
24	45.000.000	0	45.000.000	100%	0	0	0		
25	45.000.000	0	45.000.000	100%	0	0	0		
26	45.000.000	0	45.000.000	100%	0	0	0		
27	45.000.000	0	45.000.000	100%	0	0	0		
28	45.000.000	0	45.000.000	100%	0	0	0		
29	45.000.000	0	45.000.000	100%	0	0	0		
30	45.000.000	0	45.000.000	100%	0	0	0		
31	45.000.000	0	45.000.000	100%	0	0	0		

* Please consult also the adjacent TSO's website

Interconnection Point*: TUY (entry)

Units of measurements: kWh/d

MAY	FIRM capacity (Entry)				INTERRUPTIBLE capacity (Entry)				NATURE OF PLANNED MAINTENANCE (*) (on-line inspection; pipeline works; installation works)
Day	FIRM CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	INTERRUPTIBLE CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	
1	25.000.000	0	25.000.000	100%	0	0	0		There isn't planned any maintenance
2	25.000.000	0	25.000.000	100%	0	0	0		
3	25.000.000	0	25.000.000	100%	0	0	0		
4	25.000.000	0	25.000.000	100%	0	0	0		
5	25.000.000	0	25.000.000	100%	0	0	0		
6	25.000.000	0	25.000.000	100%	0	0	0		
7	25.000.000	0	25.000.000	100%	0	0	0		
8	25.000.000	0	25.000.000	100%	0	0	0		
9	25.000.000	0	25.000.000	100%	0	0	0		
10	25.000.000	0	25.000.000	100%	0	0	0		
11	25.000.000	0	25.000.000	100%	0	0	0		
12	25.000.000	0	25.000.000	100%	0	0	0		
13	25.000.000	0	25.000.000	100%	0	0	0		
14	25.000.000	0	25.000.000	100%	0	0	0		
15	25.000.000	0	25.000.000	100%	0	0	0		
16	25.000.000	0	25.000.000	100%	0	0	0		
17	25.000.000	0	25.000.000	100%	0	0	0		
18	25.000.000	0	25.000.000	100%	0	0	0		
19	25.000.000	0	25.000.000	100%	0	0	0		
20	25.000.000	0	25.000.000	100%	0	0	0		
21	25.000.000	0	25.000.000	100%	0	0	0		
22	25.000.000	0	25.000.000	100%	0	0	0		
23	25.000.000	0	25.000.000	100%	0	0	0		
24	25.000.000	0	25.000.000	100%	0	0	0		
25	25.000.000	0	25.000.000	100%	0	0	0		
26	25.000.000	0	25.000.000	100%	0	0	0		
27	25.000.000	0	25.000.000	100%	0	0	0		
28	25.000.000	0	25.000.000	100%	0	0	0		
29	25.000.000	0	25.000.000	100%	0	0	0		
30	25.000.000	0	25.000.000	100%	0	0	0		
31	25.000.000	0	25.000.000	100%	0	0	0		

* Please consult also the adjacent TSO's website

Interconnection Point*: TUY (exit)

Units of measurements: kWh/d

MAY	FIRM capacity (Exit)				INTERRUPTIBLE capacity (Exit)				NATURE OF PLANNED MAINTENANCE (*) (on-line inspection; pipeline works; installation works)
Day	FIRM CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	INTERRUPTIBLE CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	
1	40.000.000	0	40.000.000	100%	0	0	0		There isn't planned any maintenance
2	40.000.000	0	40.000.000	100%	0	0	0		
3	40.000.000	0	40.000.000	100%	0	0	0		
4	40.000.000	0	40.000.000	100%	0	0	0		
5	40.000.000	0	40.000.000	100%	0	0	0		
6	40.000.000	0	40.000.000	100%	0	0	0		
7	40.000.000	0	40.000.000	100%	0	0	0		
8	40.000.000	0	40.000.000	100%	0	0	0		
9	40.000.000	0	40.000.000	100%	0	0	0		
10	40.000.000	0	40.000.000	100%	0	0	0		
11	40.000.000	0	40.000.000	100%	0	0	0		
12	40.000.000	0	40.000.000	100%	0	0	0		
13	40.000.000	0	40.000.000	100%	0	0	0		
14	40.000.000	0	40.000.000	100%	0	0	0		
15	40.000.000	0	40.000.000	100%	0	0	0		
16	40.000.000	0	40.000.000	100%	0	0	0		
17	40.000.000	0	40.000.000	100%	0	0	0		
18	40.000.000	0	40.000.000	100%	0	0	0		
19	40.000.000	0	40.000.000	100%	0	0	0		
20	40.000.000	0	40.000.000	100%	0	0	0		
21	40.000.000	0	40.000.000	100%	0	0	0		
22	40.000.000	0	40.000.000	100%	0	0	0		
23	40.000.000	0	40.000.000	100%	0	0	0		
24	40.000.000	0	40.000.000	100%	0	0	0		
25	40.000.000	0	40.000.000	100%	0	0	0		
26	40.000.000	0	40.000.000	100%	0	0	0		
27	40.000.000	0	40.000.000	100%	0	0	0		
28	40.000.000	0	40.000.000	100%	0	0	0		
29	40.000.000	0	40.000.000	100%	0	0	0		
30	40.000.000	0	40.000.000	100%	0	0	0		
31	40.000.000	0	40.000.000	100%	0	0	0		

* Please consult also the adjacent TSO's website