

Interconnection Point*: LARRAU (entry)

Units of measurements: kWh/d

March	FIRM capacity (Entry)				INTERRUPTIBLE capacity (Entry)				NATURE OF PLANNED MAINTENANCE (*) (on-line inspection; pipeline works; installation works)
Day	FIRM CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	INTERRUPTIBLE CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	
1	165.000.000	0	165.000.000	100%	51.486.677	0	51.486.677	100%	There isn't planned any maintenance
2	165.000.000	0	165.000.000	100%	51.366.365	0	51.366.365	100%	
3	165.000.000	0	165.000.000	100%	51.627.041	0	51.627.041	100%	
4	165.000.000	0	165.000.000	100%	51.596.963	0	51.596.963	100%	
5	165.000.000	0	165.000.000	100%	51.596.963	0	51.596.963	100%	
6	165.000.000	0	165.000.000	100%	51.596.963	0	51.596.963	100%	
7	165.000.000	0	165.000.000	100%	51.546.833	0	51.546.833	100%	
8	165.000.000	0	165.000.000	100%	55.387.916	0	55.387.916	100%	
9	165.000.000	0	165.000.000	100%	55.458.098	0	55.458.098	100%	
10	165.000.000	0	165.000.000	100%	55.608.488	0	55.608.488	100%	
11	165.000.000	0	165.000.000	100%	55.608.488	0	55.608.488	100%	
12	165.000.000	0	165.000.000	100%	55.608.488	0	55.608.488	100%	
13	165.000.000	0	165.000.000	100%	55.608.488	0	55.608.488	100%	
14	165.000.000	0	165.000.000	100%	55.608.488	0	55.608.488	100%	
15	165.000.000	0	165.000.000	100%	47.344.006	0	47.344.006	100%	
16	165.000.000	0	165.000.000	100%	47.414.188	0	47.414.188	100%	
17	165.000.000	0	165.000.000	100%	47.564.578	0	47.564.578	100%	
18	165.000.000	0	165.000.000	100%	47.564.578	0	47.564.578	100%	
19	165.000.000	0	165.000.000	100%	47.614.708	0	47.614.708	100%	
20	165.000.000	0	165.000.000	100%	47.604.682	0	47.604.682	100%	
21	165.000.000	0	165.000.000	100%	47.584.630	0	47.584.630	100%	
22	165.000.000	0	165.000.000	100%	46.897.942	0	46.897.942	100%	
23	165.000.000	0	165.000.000	100%	46.897.942	0	46.897.942	100%	
24	165.000.000	0	165.000.000	100%	47.088.436	0	47.088.436	100%	
25	165.000.000	0	165.000.000	100%	47.088.436	0	47.088.436	100%	
26	165.000.000	0	165.000.000	100%	47.098.462	0	47.098.462	100%	
27	165.000.000	0	165.000.000	100%	47.058.358	0	47.058.358	100%	
28	165.000.000	0	165.000.000	100%	47.008.228	0	47.008.228	100%	
29	165.000.000	0	165.000.000	100%	49.534.080	0	49.534.080	100%	
30	165.000.000	0	165.000.000	100%	46.877.890	0	46.877.890	100%	
31	165.000.000	0	165.000.000	100%	47.108.488	0	47.108.488	100%	

* Please consult also the adjacent TSO's website

Interconnection Point*: LARRAU (exit)

Units of measurements: kWh/d

March	FIRM capacity (Exit)				INTERRUPTIBLE capacity (Exit)				NATURE OF PLANNED MAINTENANCE (*) (on-line inspection; pipeline works; installation works)
Day	FIRM CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	INTERRUPTIBLE CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	
1	165.000.000	0	165.000.000	100%	0	0	0	100%	There isn't planned any maintenance
2	165.000.000	0	165.000.000	100%	0	0	0	100%	
3	165.000.000	0	165.000.000	100%	0	0	0	100%	
4	165.000.000	0	165.000.000	100%	0	0	0	100%	
5	165.000.000	0	165.000.000	100%	0	0	0	100%	
6	165.000.000	0	165.000.000	100%	0	0	0	100%	
7	165.000.000	0	165.000.000	100%	0	0	0	100%	
8	165.000.000	0	165.000.000	100%	0	0	0	100%	
9	165.000.000	0	165.000.000	100%	0	0	0	100%	
10	165.000.000	0	165.000.000	100%	0	0	0	100%	
11	165.000.000	0	165.000.000	100%	0	0	0	100%	
12	165.000.000	0	165.000.000	100%	0	0	0	100%	
13	165.000.000	0	165.000.000	100%	0	0	0	100%	
14	165.000.000	0	165.000.000	100%	0	0	0	100%	
15	165.000.000	0	165.000.000	100%	0	0	0	100%	
16	165.000.000	0	165.000.000	100%	0	0	0	100%	
17	165.000.000	0	165.000.000	100%	0	0	0	100%	
18	165.000.000	0	165.000.000	100%	0	0	0	100%	
19	165.000.000	0	165.000.000	100%	0	0	0	100%	
20	165.000.000	0	165.000.000	100%	0	0	0	100%	
21	165.000.000	0	165.000.000	100%	0	0	0	100%	
22	165.000.000	0	165.000.000	100%	0	0	0	100%	
23	165.000.000	0	165.000.000	100%	0	0	0	100%	
24	165.000.000	0	165.000.000	100%	0	0	0	100%	
25	165.000.000	0	165.000.000	100%	0	0	0	100%	
26	165.000.000	0	165.000.000	100%	0	0	0	100%	
27	165.000.000	0	165.000.000	100%	0	0	0	100%	
28	165.000.000	0	165.000.000	100%	0	0	0	100%	
29	165.000.000	0	165.000.000	100%	0	0	0	100%	
30	165.000.000	0	165.000.000	100%	0	0	0	100%	
31	165.000.000	0	165.000.000	100%	0	0	0	100%	

* Please consult also the adjacent TSO's website

Interconnection Point*: VIP PORTUGAL (entry)

Units of measurements: kWh/d

March	FIRM capacity (Entry)				INTERRUPTIBLE capacity (Entry)				NATURE OF PLANNED MAINTENANCE (*) (on-line inspection; pipeline works; installation works)
Day	FIRM CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	INTERRUPTIBLE CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	
1	95.000.000	0	95.000.000	100%	0	0	0	100%	There isn't planned any maintenance
2	95.000.000	0	95.000.000	100%	0	0	0	100%	
3	95.000.000	0	95.000.000	100%	0	0	0	100%	
4	95.000.000	0	95.000.000	100%	0	0	0	100%	
5	95.000.000	0	95.000.000	100%	0	0	0	100%	
6	95.000.000	0	95.000.000	100%	0	0	0	100%	
7	95.000.000	0	95.000.000	100%	0	0	0	100%	
8	95.000.000	0	95.000.000	100%	0	0	0	100%	
9	95.000.000	0	95.000.000	100%	0	0	0	100%	
10	95.000.000	0	95.000.000	100%	0	0	0	100%	
11	95.000.000	0	95.000.000	100%	0	0	0	100%	
12	95.000.000	0	95.000.000	100%	0	0	0	100%	
13	95.000.000	0	95.000.000	100%	0	0	0	100%	
14	95.000.000	0	95.000.000	100%	0	0	0	100%	
15	95.000.000	0	95.000.000	100%	0	0	0	100%	
16	95.000.000	0	95.000.000	100%	0	0	0	100%	
17	95.000.000	0	95.000.000	100%	0	0	0	100%	
18	95.000.000	0	95.000.000	100%	0	0	0	100%	
19	95.000.000	0	95.000.000	100%	0	0	0	100%	
20	95.000.000	0	95.000.000	100%	0	0	0	100%	
21	95.000.000	0	95.000.000	100%	0	0	0	100%	
22	95.000.000	0	95.000.000	100%	0	0	0	100%	
23	95.000.000	0	95.000.000	100%	0	0	0	100%	
24	95.000.000	0	95.000.000	100%	0	0	0	100%	
25	95.000.000	0	95.000.000	100%	0	0	0	100%	
26	95.000.000	0	95.000.000	100%	0	0	0	100%	
27	95.000.000	0	95.000.000	100%	0	0	0	100%	
28	95.000.000	0	95.000.000	100%	0	0	0	100%	
29	95.000.000	0	95.000.000	100%	0	0	0	100%	
30	95.000.000	0	95.000.000	100%	0	0	0	100%	
31	95.000.000	0	95.000.000	100%	0	0	0	100%	

* Please consult also the adjacent TSO's website

Interconnection Point*: VIP PORTUGAL (exit)

Units of measurements: kWh/d

March	FIRM capacity (Exit)				INTERRUPTIBLE capacity (Exit)				NATURE OF PLANNED MAINTENANCE (*) (on-line inspection; pipeline works; installation works)
Day	FIRM CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	INTERRUPTIBLE CAPACITY (A) (kWh/d)	PLANNED INTERRUPTION (B) (kWh/d)	REMAINING CAPACITY (A - B) (kWh/d)	REMAINING CAPACITY (A - B) (%)	
1	174.000.000	0	174.000.000	100%	0	0	0	100%	There isn't planned any maintenance
2	174.000.000	0	174.000.000	100%	0	0	0	100%	
3	174.000.000	0	174.000.000	100%	0	0	0	100%	
4	174.000.000	0	174.000.000	100%	0	0	0	100%	
5	174.000.000	0	174.000.000	100%	0	0	0	100%	
6	174.000.000	0	174.000.000	100%	0	0	0	100%	
7	174.000.000	0	174.000.000	100%	0	0	0	100%	
8	174.000.000	0	174.000.000	100%	0	0	0	100%	
9	174.000.000	0	174.000.000	100%	0	0	0	100%	
10	174.000.000	0	174.000.000	100%	0	0	0	100%	
11	174.000.000	0	174.000.000	100%	0	0	0	100%	
12	174.000.000	0	174.000.000	100%	0	0	0	100%	
13	174.000.000	0	174.000.000	100%	0	0	0	100%	
14	174.000.000	0	174.000.000	100%	0	0	0	100%	
15	174.000.000	0	174.000.000	100%	0	0	0	100%	
16	174.000.000	0	174.000.000	100%	0	0	0	100%	
17	174.000.000	0	174.000.000	100%	0	0	0	100%	
18	174.000.000	0	174.000.000	100%	0	0	0	100%	
19	174.000.000	0	174.000.000	100%	0	0	0	100%	
20	174.000.000	0	174.000.000	100%	0	0	0	100%	
21	174.000.000	0	174.000.000	100%	0	0	0	100%	
22	174.000.000	0	174.000.000	100%	0	0	0	100%	
23	174.000.000	0	174.000.000	100%	0	0	0	100%	
24	174.000.000	0	174.000.000	100%	0	0	0	100%	
25	174.000.000	0	174.000.000	100%	0	0	0	100%	
26	174.000.000	0	174.000.000	100%	0	0	0	100%	
27	174.000.000	0	174.000.000	100%	0	0	0	100%	
28	174.000.000	0	174.000.000	100%	0	0	0	100%	
29	174.000.000	0	174.000.000	100%	0	0	0	100%	
30	174.000.000	0	174.000.000	100%	0	0	0	100%	
31	174.000.000	0	174.000.000	100%	0	0	0	100%	

* Please consult also the adjacent TSO's website